

Serial No. 09/833,647

Page 2

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-6: cancelled.

Claim 7 (original): The isolated Lipid II compound of Claim 2, wherein said Lipid II compound has a purity greater than or equal to 95%.

Claim 8 (original): The isolated Lipid II compound of Claim 2, wherein said Lipid II compound has a purity greater than or equal to 98%.


Claim 9 (original): The isolated Lipid II compound of Claim 2, wherein said Lipid II compound has a purity greater than or equal to 99%.

Claim 10 (original): The isolated Lipid II compound of Claim 2, wherein said Lipid II compound has a purity greater than or equal to 99.5%.


Claim 11 (original): A process for preparing a Lipid II compound, comprising:

(1) providing a protected disaccharide core of formula 14


Serial No. 09/833,647
Page 3



(2) introducing an anomeric phosphate to form a compound of formula 12




(3) introducing a polypeptide linkage to form a compound of formula 7a



(4) introducing an undecaprenyl diphosphate linkage to form a compound of formula 8a

Serial No. 09/833,647

Page 4



(5) removing Pg^0 , Pg^3 , Pg^7 , and Pg^8 to form said Lipid II compound;

wherein:

A is hydrogen or a carboxyl group;

R^2 is methyl;

Ac is $-\text{C}(\text{O})\text{CH}_3$;

Pg^0 is an acyl hydroxy-protecting group;

Pg^3 is an acyl hydroxy-protecting group;

Pg^4 is a carboxy-protecting group;

Pg^5 is a hydroxy-protecting group;

Pg^6 is a phosphate protecting group;

Pg^7 is an amine-protecting group; and

Pg^8 is a carboxy-protecting group.

Claim 12 (cancelled)

Serial No. 09/833,647

Page 5

Claim 13 (previously presented): A process for preparing purified Lipid II comprising:

chromatographically separating Lipid II analyte from a sample matrix
utilizing a mobile phase maintained at a pH greater than 6; and
collecting said analyte to provide said purified Lipid II.

Claim 14 (original): The process of Claim 13 wherein said pH is between 6
and 12.

Claim 15(original): The process of Claim 14 wherein said pH is between 7
and 10.

Claim 16 (original): The process of Claim 15 wherein said pH is between 7
and 9.

Claim 17 (original): The process of Claim 13, wherein said Lipid II has a purity
greater than or equal to 50%.

Claim 18 (original): The process of Claim 13, wherein said Lipid II has a purity
greater than or equal to 60%.

Claim 19 (original): The process of Claim 13, wherein said Lipid II has a purity
greater than or equal to 70%.

Serial No. 09/833,647

Page 6

Claim 20 (original): The process of Claim 13, wherein said Lipid II has a purity greater than or equal to 80%.

Claim 21 (original): The process of Claim 13, wherein said Lipid II has a purity greater than or equal to 90%.

Claim 22 (original): The process of Claim 13, wherein said Lipid II has a purity greater than or equal to 95%.


Claim 23 (original): The process of Claim 13, wherein said Lipid II has a purity greater than or equal to 98%.

Claim 24 (original): The process of Claim 13, wherein said Lipid II has a purity greater than or equal to 99%.

Claim 25 (original): A process for preparing a Lipid substrate, comprising:


(1) providing a protected disaccharide of formula 14

Serial No. 09/833,647
Page 7




14

(2) introducing an anomeric phosphate to form a compound of formula 12



12


(3) introducing a peptide linkage to form a compound of formula 7




7

(4) introducing a lipid-carrier diphosphate linkage to form a compound of
formula 2

Serial No. 09/833,647
Page 8



(5) removing the Pg^0 and Pg^3 groups and deprotecting the P group to produce a lipid substrate of formula 1



wherein:

Ac is $-C(O)CH_3$;

Pg^0 is an acyl hydroxy-protecting group;

Pg^3 is an acyl hydroxy-protecting group;

Pg^4 is a carboxy-protecting group;

Pg^5 is a hydroxy-protecting group;

Pg^6 is a phosphate-protecting group;

R^2 is hydrogen, (C_1-C_5) alkyl or (C_1-C_3) alkylphenyl;

X is a lipid carrier;


Serial No. 09/833,647

Page 9

P attached to the carbonyl is a residue of an amino acid or peptide,
wherein P comprises a protected terminal carboxy group; and
P' is a residue of an amino acid or peptide.

Claim 26 (cancelled)

Claim 27 (original): A lipid II analog of formula 1



wherein:

Ac is $-\text{C}(\text{O})\text{CH}_3$; Pg^0 is an acyl hydroxy-protecting group; Pg^3 is an acyl hydroxy-protecting group; Pg^4 is a carboxy-protecting group; Pg^5 is a hydroxy-protecting group; Pg^6 is a phosphate-protecting group; R^2 is hydrogen, (C_1-C_5) alkyl or (C_1-C_3) alkylphenyl;

X is a lipid carrier;

P attached to the carbonyl is a residue of an amino acid or peptide,
wherein P comprises a protected terminal carboxy group; and
P' is a residue of an amino acid or peptide.